CONTENTS

Selected papers of the International Scientific Conference 'Humus forms and biologically active compounds as indicators of pedodiversity', 27–28 August 2012, Tartu, Estonia

Foreword	
Raimo Kõlli	3
Humus cover and its fabric depending on pedo-ecological conditions and land use: an Estonian approach to classification of humus forms Raimo Kõlli and Indrek Tamm	6
Effectiveness of a shelterbelt in decreasing the level of inorganic elements in agricultural landscape	2.4
Lech W. Szajdak and Irena Życzyńska-Bałoniak	24
Peat humic acid properties and factors influencing their variability in a temperate bog ecosystem	
Maris Klavins, Oskars Purmalis, and Valery Rodinov	35
Distribution of organic carbon in humic and granulodensimetric fractions of soil as influenced by tillage and crop rotation	
Inga Liaudanskiene, Alvyra Slepetiene, Aleksandras Velykis, and Antanas Satkus	53
Effect of spring oilseed rape crop density on plant root biomass and soil enzymes activity	
Rita Čepulienė, Aušra Marcinkevičienė, Rimantas Velička,	
Robertas Kosteckas, and Rita Pupalienė	70

All articles are provided with Estonian summaries.

Full text: http://www.eap.ee/ecology http://search.epnet.com

Abstracts and indexed in: Biological Abstracts, Zoological Record, CAB Abstracts, Global Health, Cambridge Scientific Abstracts, Chemical Abstracts, IBIDS, ISI[®], NISC SA, Scopus[®], EBSCO, The Gale Group Inc., ProQuest LLC, Airiti Inc.